

313251

FTRR8FG9

FREESTANDING GAS GRIDDLE WITH RIBBED PLATE ON OPEN CABINET



IMMAGINE DA DEFINIRE

- Freestanding gas griddle with a ribbed steel cooking plate on an open cabinet (80 cm).
- Deep drawn worktop with a hermetically welded recessed cooking plate, featuring large cooking area with rounded corners for enhanced hygiene and easy cleaning.
- Heating through 2 2-branch chrome-plated steel burners (8 kW) with 2 independent working zones.
- Valved gas cock with maximum temperature of 390°C.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Equipment intended for direct cooking of food, use for heating pots or pans is not permitted.
- Ignition through a piezoelectric device with a water protection cap.
- Pilot burner and safety thermocouple.
- Sloped Inclined cooking plate (15 mm thick) to drain grease and liquids.
- Heating and control commands specific for each zone.
- Removable liquid and grease collection drawer with overflow hole.
- Removable splashback on 3 sides and cap included.
- Technical compartment for easy connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.



16 kW

TECHNICAL DATA

16 kW

TOTAL POWER

NATURAL GAS CONSUMPTION	1,69 m³/h	LPG CONSUMPTION	1.26 kg/h
CABINET DIMENSIONS	77x76,1x39,5 cm	COOKING SURFACE	74,9x69,8 cm
PLATE TYPE	Ribbed	HEATING ZONES	n° 2
CE GAS CERTIFICATE NUMBER	CE-0085BO0093	GAS CONNECTION DIAMETER	1/2"G EN10226-1
GAS CONNECTION HEIGHT (H)	484 mm	GAS CONNECTION HEIGHT (X)	766 mm
GAS CONNECTION HEIGHT (Y)	-75 mm	FOOT HEIGHT	133 mm
FOOT ADJUSTMENT	133/195 mm	WIDTH	80 cm
DEPTH	90 cm	HEIGHT	90 cm
PACKAGE WIDTH	86,0 cm	PACKAGE DEPTH	100,0 cm
PACKAGE HEIGHT	116,0 cm	NET WEIGHT	117 kg
GROSS WEIGHT	139 kg	VOLUME	0,9900 m ³
HARMONISED CODE	84198180	LATENT HEAT RELEASE	6400.0 W
SENSIBLE HEAT RELEASE	5600.0 W	STEAM RELEASE	9408.0 g/h

GAS POWER

ACCESSORIES



INSTALLATION SCHEMES

