

**313261**

PCH4G9

## 2-BURNER HERMETIC GAS BOILING TOP WITH CAST IRON GRIDS



- 2-burner gas boiling top (40 cm).
- High-efficiency cast-iron burners hermetically fixed to the top and highly durable brass flame spreaders with single ring 6kW and 10kW.
- Deep drawn worktop to prevent overflows and with rounded corners for maximum hygiene and easy cleaning.
- Main burner ignition by means of a pilot burner with safety thermocouple.
- Valved gas cock.
- Enamelled cast iron pan support grids to resist acids, alkalis and flames.
- Setup for installing a water tap.
- Height-adjustable rubberised plastic feet (15-25 mm).
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to make easy the connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.

---

## TECHNICAL DATA

TOTAL POWER	16 kW	GAS POWER	16 kW
OPEN BURNER POWER	1X6 + 1X10 n° - kW	BOILING TOP POWER	16 kW
NATURAL GAS CONSUMPTION	1,69 m³/h	LPG CONSUMPTION	1.26 m³/h
NUMBER OF BURNERS	n° 2	BOILING PAN SUPPORT	RAAF enamelled cast iron
CE GAS CERTIFICATE NUMBER	CE-0085BQ0326	GAS CONNECTION DIAMETER	1/2"G EN10226-1
GAS CONNECTION HEIGHT (H)	35 mm	GAS CONNECTION HEIGHT (X)	366 mm
GAS CONNECTION HEIGHT (Y)	-75 mm	FOOT HEIGHT	15 mm
FOOT ADJUSTMENT	15/25 mm	WIDTH	40 cm
DEPTH	90 cm	HEIGHT	28 cm
PACKAGE WIDTH	101 cm	PACKAGE DEPTH	47 cm
PACKAGE HEIGHT	59 cm	NET WEIGHT	35 kg
GROSS WEIGHT	45 kg	VOLUME	0,28 m³
HARMONISED CODE	84198180--	LATENT HEAT RELEASE	1920.0 W
SENSIBLE HEAT RELEASE	4800.0 W	STEAM RELEASE	2816.0 g/h

---

## ACCESSORIES

- 319067 10KW HERMETIC FLAME SPREADER  
319068 HERMETIC FLAME SPREADER (5 - 6 - 7 KW)

## INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 || الصورة رقم ١ - 5415.618.00