

613112

FTRR70G7

GAS GRIDDLE WITH A RIBBED PLATE (TOP VERSION)



- Gas griddle with steel ribbed plate (70 cm top version).
- Horizontal cooking plate (12 cm thick).
- Heating through 2 x 2-branch chrome-plated steel burners (7 kW) with 2 independent working areas.
- Valved tap with maximum temperature of 390°C.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- · Appliances intended for direct cooking.
- Cooking plate hermetically sealed to the worktop.
- Ignition through a piezoelectric device with a water protection cap.
- Pilot burner and safety thermocouple.
- Grooving with a cap and removable drawer for collecting grease and liquids.
- Removable splashback on 3 sides included.
- Technical compartment for easy connection to the gas network.
- Gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- •The equipment is delivered in accordance with the customer's specifications in terms of installed nozzles, even during testing. G20 natural gas is the standard configuration. In addition, spare nozzles are included should conversion be necessary on site.



TECHNICAL DATA

TOTAL POWER 14 kW **GAS POWER** 14 kW NATURAL GAS CONSUMPTION 1,48 m³/h LPG CONSUMPTION 1.1 kg/h COOKING SURFACE 69,6x56,4 cm PLATE TYPE Ribbed

HEATING ZONES n° 2 CE GAS CERTIFICATE NUMBER CE-0085BO0093 GAS CONNECTION DIAMETER 1/2"G EN10226-1 GAS CONNECTION HEIGHT (H) 26 mm GAS CONNECTION HEIGHT (X) GAS CONNECTION HEIGHT (Y) -78 mm 657 mm FOOT HEIGHT 25 mm FOOT ADJUSTMENT 15/25 mm WIDTH 70 cm DEPTH 70 cm HEIGHT 28 cm PACKAGE WIDTH 77,0 cm PACKAGE DEPTH 81,0 cm PACKAGE HEIGHT 53,0 cm **NET WEIGHT GROSS WEIGHT** 62 kg 70 kg VOLUME 0,3300 m³ HARMONISED CODE 84198180 LATENT HEAT RELEASE 5600.0 W SENSIBLE HEAT RELEASE 4900.0 W 8232.0 g/h STEAM RELEASE

ACCESSORIES

120595 GRIDDLE-CLEANING SCRAPER 120597 SCRAPER - SPARE BLADE KIT (10 PCS) 619005 PAIR OF JOINTS FOR GRIDDLES



INSTALLATION SCHEMES



IMMAGINE DA DEFINIRE