

**616123**

PFU105E7

**6 SQUARE COPLANAR HOT PLATES ELECTRIC  
BOILING TOP ON GN2/1 ELECTRIC STATIC OVEN  
WITH 1 GRID (PLATE 30X30CM - 11.8X11.8IN)**



- Electric cooker (105 cm) with 6 coplanar, fixed electric plates on a GN 2/1 electric static oven and a cabinet with a door (35 cm).
- Coplanar, squared, cast iron electric plates (30x30 cm and 6 mm thick) not hermetically sealed to the boiling top.
- 2.5 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- Cooking residue collecting drawer.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

>> GN 2/1 ELECTRIC STATIC OVEN

>> Stainless steel oven door and cooking chamber.

>> Long-lasting steel mesh and glass fibre gasket resistant to high temperatures.

>> Heating through upper and lower heating elements that can be enabled together or individually.

>> Thermostatic control 60-270°C.

>> Stainless steel removable side tray racks.

- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the electrical network.

TECHNICAL DATA

TOTAL POWER	20,3 kW	ELECTRIC POWER	20,3 kW
CAMPO_0002	0001	CAMPO_0003	0002
CAMPO_0152	5,3	CAMPO_0151	15
CAMPO_0142	6X2,5	CAMPO_0095	0011
CAMPO_0020	0014	CAMPO_0073	0004
CAMPO_0007	0005	CAMPO_0076	0001
CAMPO_0018	0003	CAMPO_0146	0003
CAMPO_0017	0002	CAMPO_0162	0002
CAMPO_0138	0002	CAMPO_0139	0001
CAMPO_0014	0001	CAMPO_0167	-516
FOOT HEIGHT	155 mm	FOOT ADJUSTMENT	155/250 mm
IPX RATING	4	WIDTH	105 cm
DEPTH	70 cm	HEIGHT	85 cm
PACKAGE WIDTH	111 cm	PACKAGE DEPTH	81 cm
PACKAGE HEIGHT	116 cm	NET WEIGHT	172 kg
GROSS WEIGHT	193 kg	VOLUME	1,04 m³
HARMONISED CODE	84198180	LATENT HEAT RELEASE	1624.0 W
SENSIBLE HEAT RELEASE	4060.0 W	STEAM RELEASE	2395.4 g/h

ACCESSORIES

220585	JOINT
220590	EXTRA OVEN GRID GN2/1 (53X63CM)
619012	GN2/1 INOX TRAY

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.553.00