

713175

FTRR8G7

GAS GRIDDLE WITH RIBBED PLATE TOP



- Gas griddle (80 cm), top version, with steel ribbed plate.
- Deep drawn worktop with a hermetically welded recessed cooking plate, featuring large cooking area with rounded corners for enhanced hygiene and easy cleaning.
- Sloped cooking plate (12 mm thick) to facilitate the drainage of grease and liquids.
- Heating through 2 2-branch chrome-plated steel burners (7 kW) with 2 independent working zones.
- Valved gas cock with maximum temperature of 390°C.
- Height-adjustable rubberised plastic feet (15-25 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Equipment intended for direct cooking of food, use for heating pots or pans is not permitted.
- Ignition through a piezoelectric device with a water protection cap.
- Pilot burner and safety thermocouple.
- Heating and control commands specific for each zone.
- Removable liquid and grease collection drawer with overflow hole.
- Removable splashback on 3 sides and cap included.
- Technical compartment for easy connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.



TECHNICAL DATA

TOTAL POWER 14 kW GAS POWER 14 kW NATURAL GAS CONSUMPTION 1,48 m³/h LPG CONSUMPTION 1.1 kg/h COOKING SURFACE 74,8x56,4 cm PLATE TYPE Ribbed

HEATING ZONES n° 2 CE GAS CERTIFICATE NUMBER CE-0085BO0093 GAS CONNECTION DIAMETER 1/2"G EN10226-1 GAS CONNECTION HEIGHT (H) 35 mm GAS CONNECTION HEIGHT (X) 766 mm GAS CONNECTION HEIGHT (Y) -63 mm FOOT HEIGHT 15 mm FOOT ADJUSTMENT 15/25 mm WIDTH 80 cm DEPTH 70 cm HEIGHT 28 cm PACKAGE WIDTH 87,0 cm PACKAGE DEPTH 81,0 cm PACKAGE HEIGHT 54 cm **NET WEIGHT GROSS WEIGHT** 74,4 kg 84,4 kg VOLUME 0,3900 m³ HARMONISED CODE 84198180 LATENT HEAT RELEASE 5600.0 W SENSIBLE HEAT RELEASE 4900.0 W STEAM RELEASE 8232.0 g/h

ACCESSORIES

120595 GRIDDLE-CLEANING SCRAPER

120597 SCRAPER - SPARE BLADE KIT (10 PCS) 799506 PAIR OF CLOSING ELEMENTS (L=70CM)



INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.649.00