

716117

PINM8FF7

## 2-ZONE FREESTANDING INDUCTION BOILING TOP ON OPEN CABINET



- Freestanding induction boiling top on an open cabinet (80x45 cm) with 2 independent cooking zones.
- Mosaico74 is a special line of modular units, only 45 cm deep, which combine

perfectly with the Tecno74 range to create compact cooking islands designed to make the best use of space.

- AISI 304 stainless steel worktop (15/10 thick) with Scotch Brite finish, set up for internal coupling without external joints.
- AISI 304 stainless steel control panel. Stainless steel side and back panels
- Glass ceramic boiling top (6 mm thick) hermetically sealed to the worktop for maximum hygiene and easy cleaning.
- 3.5 kW independent cooking zones each.
- Power regulator 0-6-infinite.
- Increased heating speed compared to other boiling top types.
- Heating is enabled only when in contact with the pan, saving energy and reducing overheating.
- Front air filter drawer easily accessible for cleaning and replacement.
- LED lights for detecting pans and signalling operation and errors.
- To optimise efficiency, use high-quality induction cookware with a base diameter ranging between 12 cm and 28 cm.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).



TECHNICAL DATA			
TOTAL POWER	7 kW	ELECTRIC POWER	7 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3 ~ V
COOKING ZONE POWER	2x3,5 n°- kW	NUMBER OF COOKING ZONES	n° 2
MINIMUM POWER CABLE CROSS-SECTION	4 x 1,5 n° - mm²	ELECTRIC CABLE TYPE	H07 RN-F
ELECTRICAL CONNECTION HEIGHT (H)	486 mm	ELECTRICAL CONNECTION HEIGHT (X)	122 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-45 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	45 cm
HEIGHT	90 cm	PACKAGE WIDTH	86 cm
PACKAGE DEPTH	52 cm	PACKAGE HEIGHT	115 cm
NET WEIGHT	49,7 kg	GROSS WEIGHT	62,2 kg
VOLUME	0,51 m³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	196.0 W	SENSIBLE HEAT RELEASE	490.0 W
STEAM RELEASE	287.0 g/h		

## **ACCESSORIES**

319002 STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90



## **INSTALLATION SCHEMES**

