
716194**F8E7**

**GN2/1 ELECTRIC STATIC OVEN BASE WITH 1 GRID -
SUITABLE ONLY FOR (2X40 CM) OR (1X80 CM) TOP
ELEMENTS ONLY**



- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.

TECHNICAL DATA

TOTAL POWER	5,3 kW	ELECTRIC POWER	5,3 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
OVEN POWER	5,3 kW	TRAY CAPACITY	n° 4xGN2/1
COOKING CHAMBER DIMENSIONS	57,5x65x30 cm	OVEN DIMENSIONS	GN2/1
GUIDES	n° 4	VERTICAL DISTANCE BETWEEN TRAYS	6 cm
OVEN TEMPERATURE RANGE	60÷270 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm²
ELECTRIC CABLE TYPE	H07 RN-F	OVEN TYPE	Static
ELECTRICAL CONNECTION HEIGHT (Y)	-580 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	70 cm
HEIGHT	60 cm	PACKAGE WIDTH	84 cm
PACKAGE DEPTH	80 cm	PACKAGE HEIGHT	81 cm
NET WEIGHT	70 kg	GROSS WEIGHT	80 kg
VOLUME	0,54 m³	HARMONISED CODE	84198180

ACCESSORIES

- 220590 EXTRA OVEN GRID GN2/1 (53X63CM)
- 619012 GN2/1 INOX TRAY
- 719005 TECNO74 REAR COVERING PANEL FOR FREESTANDING ELEMENTS (L=80CM)
- 799503 SIDE COVERING PANEL FOR FREESTANDING MODULE
- 799506 PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION SCHEMES

