

**716502**

**EHC4FE7**

**FREESTANDING ELECTRIC GRIDDLE WITH CHROME-PLATED SMOOTH PLATE ON OPEN CABINET WITH EVENHEAT TECHNOLOGY**



- EVENHEAT Freestanding electric griddle on an open cabinet (40 cm) with a mirror-polished chrome-plated, smooth plate recommended for cooking delicate products.
- Deep drawn worktop with a hermetically welded recessed cooking plate, featuring large cooking area with rounded corners for enhanced hygiene and easy cleaning.
- Sloped cooking plate (12 mm thick) to facilitate the drainage of grease and liquids.
- The non-stick plate ensures quick and effortless cleaning, prevents oxidation, and eliminates any flavour transfer.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- Chrome-plated griddles comply with EU Regulation 1935/2004 concerning food contact materials and articles which are intended to come into contact with food.
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- Stainless steel control panel and side panels.
- Equipment intended for direct cooking of food, use for heating pots or pans is not permitted.
- Thanks to thin, flexible elements, heat is distributed with absolute precision exactly where it is needed.
- The EVENHEAT technology, patent pending, grants a real temperature across the full plate, eliminating any cold or overheated spots
- Operating thermostatic valve with temperature control ranging between 70°C and 300°C.
- Heating and control commands specific for each zone.
- Removable liquid and grease collection drawer with overflow hole.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Included: removable splashback, cap and scraper.
- Technical compartment for easy connection to the electrical network mains.

---

## TECHNICAL DATA

|                                   |                              |                                  |                        |
|-----------------------------------|------------------------------|----------------------------------|------------------------|
| TOTAL POWER                       | 4,5 kW                       | ELECTRIC POWER                   | 4,5 kW                 |
| FREQUENCY                         | 50/60 Hz                     | VOLTAGE                          | 380-415 3N~ V          |
| TEMPERATURE RANGE                 | 70÷300 °C                    | CABINET DIMENSIONS               | 33x57,4x39,5 cm        |
| MINIMUM POWER CABLE CROSS-SECTION | 5 x 1,5 n° - mm <sup>2</sup> | COOKING SURFACE                  | 35,3x56,4 cm           |
| ELECTRIC CABLE TYPE               | H07 RN-F                     | PLATE TYPE                       | Chrome-plated - smooth |
| HEATING ZONES                     | n° 1                         | ELECTRICAL CONNECTION HEIGHT (H) | 660 mm                 |
| ELECTRICAL CONNECTION HEIGHT (X)  | 321 mm                       | ELECTRICAL CONNECTION HEIGHT (Y) | -63 mm                 |
| FOOT HEIGHT                       | 155 mm                       | FOOT ADJUSTMENT                  | 155/250 mm             |
| IPX RATING                        | 4                            | WIDTH                            | 40 cm                  |
| DEPTH                             | 70 cm                        | HEIGHT                           | 90 cm                  |
| PACKAGE WIDTH                     | 81,0 cm                      | PACKAGE DEPTH                    | 47,0 cm                |
| PACKAGE HEIGHT                    | 115 cm                       | NET WEIGHT                       | 48,4 kg                |
| GROSS WEIGHT                      | 60,6 kg                      | VOLUME                           | 0,4300 m <sup>3</sup>  |
| HARMONISED CODE                   | 84198180                     |                                  |                        |

---

## ACCESSORIES

|        |   |
|--------|---|
| 120595 | GRIDDLE-CLEANING SCRAPER  |
| 120597 | SCRAPER - SPARE BLADE KIT (10 PCS)                                    |
| 319002 | STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90 |
| 719004 | TECNO74 REAR COVERING PANEL FOR FREESTANDING ELEMENTS (L=40CM)        |
| 719040 | SIDE HEAT PROTECTION DEVICE   |
| 799503 | SIDE COVERING PANEL FOR FREESTANDING MODULE                           |
| 799506 | PAIR OF CLOSING ELEMENTS (L=70CM)                                     |

## INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.648.00