

716511

EHR8BE7

ELECTRIC GRIDDLE WITH A BRUSHED, CHROME-PLATED, 1/3 RIBBED PLATE (TOP VERSION) WITH EVENHEAT TECHNOLOGY



- EVENHEAT Electric griddle (80 cm), top version, with a brushed chrome-plated, 2/3 smooth and 1/3 ribbed cooking plate to cook a variety of products: from meat to fish and vegetables.
- Deep drawn worktop with a hermetically welded recessed cooking plate, featuring large cooking area with rounded corners for enhanced hygiene and easy cleaning.
- Sloped cooking plate (12 mm thick) to facilitate the drainage of grease and liquids.
- The anti-scratch cooking plate ensures resistance to scratches and corrosion, while the striping enhances product grilling.
- The non-stick plate ensures quick and effortless cleaning, prevents oxidation, and eliminates any flavour transfer.
- The chrome-plated surface ensures less energy consumption and heat dispersion.
- 2 independent cooking zones.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Chrome-plated griddles comply with EU Regulation 1935/2004 concerning food contact materials and articles which are intended to come into contact with food.
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- Stainless steel control panel and side panels.
- Equipment intended for direct cooking of food, use for heating pots or pans is not permitted.
- Thanks to thin, flexible elements, heat is distributed with absolute precision exactly where it is needed.
- The EVENHEAT technology, patent pending, grants a real temperature across the full plate, eliminating any cold or overheated spots
- Operating thermostatic valve with temperature control ranging between 70°C and 300°C.
- Heating and control commands specific for each zone.
- Removable liquid and grease collection drawer with overflow hole.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Included: removable splashback, cap and scraper.
- Technical compartment for easy connection to the electrical network mains.

TECHNICAL DATA

| | | | |
|----------------------------------|---|-----------------------------------|------------------------------|
| TOTAL POWER | 9 kW | ELECTRIC POWER | 9 kW |
| FREQUENCY | 50/60 Hz | VOLTAGE | 380-415 3N~ V |
| TEMPERATURE RANGE | 60÷300 °C | MINIMUM POWER CABLE CROSS-SECTION | 5 x 1,5 n° - mm ² |
| COOKING SURFACE | 74,8x56,4 cm | ELECTRIC CABLE TYPE | H07 RN-F |
| PLATE TYPE | Brushed chrome-plated - 1/3 ribbed and 2/3 smooth | HEATING ZONES | n° 2 |
| ELECTRICAL CONNECTION HEIGHT (H) | 35 mm | ELECTRICAL CONNECTION HEIGHT (X) | 721 mm |
| ELECTRICAL CONNECTION HEIGHT (Y) | -63 mm | FOOT HEIGHT | 15 mm |
| FOOT ADJUSTMENT | 15/25 mm | IPX RATING | 4 |
| WIDTH | 80 cm | DEPTH | 70 cm |
| HEIGHT | 28 cm | PACKAGE WIDTH | 88 cm |
| PACKAGE DEPTH | 81,0 cm | PACKAGE HEIGHT | 57 cm |
| NET WEIGHT | 69,2 kg | GROSS WEIGHT | 78,5 kg |
| VOLUME | 0,40 m ³ | HARMONISED CODE | 84198180 |

ACCESSORIES

- 120595 GRIDDLE-CLEANING SCRAPER
- 120597 SCRAPER - SPARE BLADE KIT (10 PCS)
- 120598 SCRAPER - REPLACEMENT BLADE KIT FOR RIBBED PLATE (10 PIECES)
- 719040 SIDE HEAT PROTECTION DEVICE
- 799506 PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.648.00