

---

**716551**

EHCD4E7

**ELECTRIC GRIDDLE WITH CHROME-PLATED  
SMOOTH PLATE AND ELECTRONIC CONTROL (TOP  
VERSION) WITH EVENHEAT TECHNOLOGY**

---



**IMMAGINE DA DEFINIRE**

- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- Stainless steel control panel and side panels.
- Equipment intended for direct cooking of food, use for heating pots or pans is not permitted.
- Thanks to thin, flexible elements, heat is distributed with absolute precision exactly where it is needed.
- The EVENHEAT technology, patent pending, grants a real temperature across the full plate, eliminating any cold or overheated spots
- Operating thermostatic valve with temperature control ranging between 70°C and 300°C.
- Heating and control commands specific for each zone.
- Removable liquid and grease collection drawer with overflow hole.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Included: removable splashback, cap and scraper.
- Technical compartment for easy connection to the electrical network mains.

## TECHNICAL DATA

|                                  |                        |                                   |                              |
|----------------------------------|------------------------|-----------------------------------|------------------------------|
| TOTAL POWER                      | 4,5 kW                 | ELECTRIC POWER                    | 4,5 kW                       |
| FREQUENCY                        | 50/60 Hz               | VOLTAGE                           | 380-415 3N~ V                |
| TEMPERATURE RANGE                | 60±270 °C              | MINIMUM POWER CABLE CROSS-SECTION | 5 x 1,5 n° - mm <sup>2</sup> |
| COOKING SURFACE                  | 35,3x56,4 cm           | ELECTRIC CABLE TYPE               | H07 RN-F                     |
| PLATE TYPE                       | Chrome-plated - smooth | HEATING ZONES                     | n° 1                         |
| ELECTRICAL CONNECTION HEIGHT (H) | 35 mm                  | ELECTRICAL CONNECTION HEIGHT (X)  | 321 mm                       |
| ELECTRICAL CONNECTION HEIGHT (Y) | -63 mm                 | FOOT HEIGHT                       | 15 mm                        |
| FOOT ADJUSTMENT                  | 15/25 mm               | IPX RATING                        | 4                            |
| WIDTH                            | 40 cm                  | DEPTH                             | 70 cm                        |
| HEIGHT                           | 28 cm                  | PACKAGE WIDTH                     | 81 cm                        |
| PACKAGE DEPTH                    | 47 cm                  | PACKAGE HEIGHT                    | 56 cm                        |
| NET WEIGHT                       | 39,1 kg                | GROSS WEIGHT                      | 44,5 kg                      |
| VOLUME                           | 0,21 m <sup>3</sup>    | HARMONISED CODE                   | 84198180                     |

## ACCESSORIES

|        |                                    |
|--------|------------------------------------|
| 120595 | GRIDDLE-CLEANING SCRAPER           |
| 120597 | SCRAPER - SPARE BLADE KIT (10 PCS) |
| 719040 | SIDE HEAT PROTECTION DEVICE        |
| 799506 | PAIR OF CLOSING ELEMENTS (L=70CM)  |

## INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.648.00